



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/805,900

03/22/2004

Mark H. Falahee

FLH-11102/29

1949

25006

7590

04/09/2008

GIFFORD, KRASS, SPRINKLE, ANDERSON & CITKOWSKI, P.C  
PO BOX 7021  
TROY, MI 48007-7021

EXAMINER

HOFFMAN, MARY C

ART UNIT

PAPER NUMBER

3733

MAIL DATE

DELIVERY MODE

04/09/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/805,900	<b>Applicant(s)</b> FALAHEE, MARK H.	
	<b>Examiner</b> MARY HOFFMAN	<b>Art Unit</b> 3733	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 02 January 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-12, 14 and 15 is/are rejected.
- 7) ☒ Claim(s) 8 and 13 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 9/11/2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –


(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, 9-12 and 14-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Lumb (U.S. Patent No. 3,426,364).

Lumb discloses a spinal reconstruction apparatus (see attached marked-up figure), comprising a superior facet complex including a plate having an upper portion, a lower portion, and a vertical midline, with the upper portion being adapted for fixation to an upper vertebral body; a pair of inferior gliding arms (ref. #54) extending downwardly from the lower portion of the plate on respective sides of the midline, each gliding arm having a longitudinal axis, an upper end with a first coupling to the superior facet complex, and a lower end with a second coupling to a lower vertebral body; at least the first coupling providing a limited degree of axial movement of each gliding arm to

Art Unit: 3733

facilitate flexion, extension, and lateral bending.



The upper portion of the plate utilizes pedicle fixation. The lower end of each gliding arm utilizes pedicle fixation. The first coupling includes a slot on the plate and a pin on the gliding arm that slides along the slot. The second coupling provides a limited degree of axial movement of each gliding arm. The second coupling includes a slot on the gliding arm and a pedicle screw with a pin that engages with the slot. The first coupling provides a limited degree of pivoting from side to side. Each gliding arm extends downwardly and away from the midline at an angle. The superior facet complex further includes an outer surface with soft tissue attachment points.

Also, with regard to the statements of intended use and other functional statements, e.g. "the upper portion being adapted for fixation to an upper vertebral

body”, and “a lower end with a second coupling to a lower vertebral body”, they do not impose any structural limitations on the claims distinguishable over Lumb, which is capable of being used as claimed if one so desires to do so. *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). Furthermore, the law of anticipation does not require that the reference “teach” what the subject patent teaches, but rather it is only necessary that the claims under attack “read on” something in the reference. *Kalman v. Kimberly Clark Corp.*, 218 USPQ 781 (CCPA 1983). Furthermore, the manner in which a device is intended to be employed does not differentiate the claimed apparatus from prior art apparatus satisfying the claimed structural limitations. *Ex parte Masham*, 2 USPQ2d 1647 (1987).

### ***Allowable Subject Matter***

Claims 8 and 13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

### ***Response to Arguments***

Applicant's arguments filed 01/02/2008 have been fully considered but they are not persuasive.

Applicant argues that the gliding arms of Lumb do not extend at an angle. The examiner respectfully disagrees, because even an angle of 0 degrees is considered to be “an angle.”

Moreover, while the gliding arms do not appear to extend at a non-zero angle from “M” based on the top cross-sectional view provided by Applicant in the Remarks filed 01/02/2008, a side cross-sectional view, like from viewpoint in FIG. 5 of Lumb, would reveal that the gliding arms do extend at an angle (other than zero) from the Applicant’s midline “M” provided by Applicant in the Remarks.

In response to Applicant's argument that Lumb does not include certain features of Applicant's invention, the limitations on which the Applicant relies (i.e., pedicle screws) are not stated in the claims. Therefore, it is irrelevant whether the reference includes those features or not. The claims currently recite “pedicle fixation”, which is broader than “pedicle screws.”

The rejections are deemed proper.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 3733

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Hoffman whose telephone number is 571-272-5566. The examiner can normally be reached on Monday-Friday 9:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo C. Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mary C. Hoffman/  
Examiner, Art Unit 3733  
/Eduardo C. Robert/

Supervisory Patent Examiner, Art Unit 3733